CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

	SEC	SECRET URITY INFORMATION	25X1
COUNTRY	Czechoslovakia	REPORT	
SUBJECT	Hydroelectric Power Pi	lant at Hnevousice DATE DISTR. 3 June, 1953	
		NO. OF PAGES 7	•
DATE OF INFO.		REQUIREMENT NO. RD	
PLACE ACQUIRED		REFERENCES	25X1
(This is UNEVALUATED Info	rmation	
	THE APPRAIS	ITIONS IN THIS REPORT ARE DEFINITIVE. SAL OF CONTENT IS TENTATIVE. FOR KEY SEE REVERSE)	25X1
branch	roelectric power plant, c ed off the Kizera River, ter northwest of 'Mnichov	onstructed many years ago, was located on in the small_village of_Hnevousice, approx o Hradiste /5032N-1450E/.	a canal which cimately one
2.		There were	steel 25X1
leadin diamet Normal	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri	four high tension power lines, plus one r , east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart.	reserve line, 6 mm. in
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the pour area,	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location wer to the towns. The pland power failures were f	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event	feserve line, 6 mm. in 1000 v. 100 of a break finichove 100 imes to one 100 to shut off 100 for the 100 to shut off 100 to shut off 100 to shut off 100 to shut off
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the por area, was no	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location wer to the towns. The pland power failures were f periods of semi or compl	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart. r produced by this plant was utilized by M. Haskov. The supervisor of the plant, (fn ders to maintain electrical power at all t even if it became necessary ant, however, supplied enough electricity ew, occurring only during floods or severe	feserve line, 6 mm. in 1000 v. 100 of a break finichove 100 imes to one 100 to shut off 100 for the 100 to shut off 100 to shut off 100 to shut off 100 to shut off
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the porarea, was no	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location, wer to the towns. The pl and power failures were f periods of semi or comple eople were employed at the	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart. r produced by this plant was utilized by M. Haskov. The supervisor of the plant, (fn ders to maintain electrical power at all t even if it became necessary ant, however, supplied enough electricity ew, occurring only during floods or severe ete blackouts because of lack of power.	feserve line, 6 mm. in 1000 v. 1000 of a break Inichove 1000 1000 1000 1000 1000 1000 1000 10
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the poarea, was no 4. Nine p ANNEXES A. Pi B. C.	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location, wer to the towns. The pl and power failures were f periods of semi or compl ecople were employed at th Sketch of Hnevousice Sketch of Hnevousice	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart. r produced by this plant was utilized by M. Haskov. The supervisor of the plant, (fn ders to maintain electrical power at all t	reserve line, 6 mm. in 000 v. of a break Anichovo nu) cimes to one to shut off for the e storms. There
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the porarea, was no 4. Nine p ANNEXES A. Pi B. C. D.	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location, wer to the towns. The pl and power failures were f periods of semi or compl eople were employed at th S: npoint Location of the Hn Sketch of Hnevousice Sketch of High Tensi	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart. r produced by this plant was utilized by M. Haskov. The supervisor of the plant, (fn ders to maintain electrical power at all t even if it became necessary ant, however, supplied enough electricity ew, occurring only during floods or severe ete blackouts because of lack of power. is plant in three eight-hour shifts. evousice Power Plant. Power Plant Area. Power Plant. on Tower.	feserve line, 6 mm. in 1000 v. 100 of a break finichove 100 imes to one 100 to shut off 100 for the 100 to shut off 100 to shut off 100 to shut off 100 to shut off
leadin diamet Normal in one 3. The gr Hradis AJCHLE specif the poarea, was no 4. Nine p ANNEXES A. Pi B. C.	g off to the north, south er, were spaced 1 m. apar ly the reserve line carri of the other four lines. eater portion of the powe te, Klaster Hradiste, and R, had or ic location, wer to the towns. The pl and power failures were f periods of semi or compl eople were employed at th S: npoint Location of the Hn Sketch of Hnevousice Sketch of High Tensi	t, east, and west. The cables were about 1 t, and had a capacity of approximately 6,0 ed no power, but it was used in the event The towers were spaced 150 m. apart. r produced by this plant was utilized by M. Haskov. The supervisor of the plant, (fn ders to maintain electrical power at all t	reserve line, 6 mm. in 000 v. of a break Anichovo nu) cimes to one to shut off for the e storms. There


SECRET/SECURITY INFORMATION

- 2

25X1

Annex A

Pinpoint Location of the Hnevousice Power Plant



1

Jisera River

> Enevousice Hydreelectric Pewer Plant

Mnicheve-Wrediste

Highway

20° 30° 11

25X1

SECRET


2

25X1

Annex: B

Sketch of Hnevousice Power Plant Area

25X1



SECRET

-2-4 -

REGIONNE E (Johnn)

25X1

Sketch of Hnevousice Power Plant Area

25X1

25X1

LEGEND

Jizera River; 25 m. wide and 3 m. deep.

Dam. Reinforced concrete, 50 m. long 3 m. wide, lower water level 8 m. below top of dam.

Highway. Cesky Dub /5039N-1459E7 to Mnichovo Hradiste, asphalt, five meters wide.

4. Apartment Building. Two-story, light brown, stuccoed brick or stone, 50 x 15 x 10 m., gray slate gable roof.
5. Dam. Reinforced concrete, 12 m. long, 4 m. wide. Spanned

overflow canal.

Supervisor's house. One story, dull gray, stuccoed stone, $30 \times 10 \times 7$ m. red tile hip roof.

7. Power Plant. Gray blue, stuccoed brick or stone, 30 x 40 x 12 m., red, tile hip roof, cement foundation. Contained three granite outlets to handle the flow of water from the turbines. Each outlet was three meters wide and seven meters high from water level to top of outlet arch. The water depth on the in-take or north side of the plant was nine meters higher than on the south side. For further details see Annex C7.

Transformer Building.

Gray, stuccoed brick or stone, 5 x 5 x 10 m., gray, slate or Eternit hip roof. Windowless building with one large steel door on the north side. Four power lines led to this building from the power plant, and four more lines led to the south from this building.

Overflow Canal, 500 m. long and 10 m. wide.

Canal, 700 m. long, 15 m. wide, 3 m. deep from the dam /Point 27 to the power plant and 1 km. long from the plant to its south junction with the river.

SECRET

SECRET/SECURITY INFORMATION


- 5 -

25X1

Colloannes: C

Sketch of Hnevousice Power Plant

25X1



villages were located within a 10 km. radius of the power plant.

25X1


SECRET

ENICE CAMPLE: D -7-

Sketch of High Tension Tower

25X1

25X1



SECRET